



## PREOPERATIVE AND POSTOPERATIVE PHYSICIAN ORDERS

**Admitting Diagnosis:** \_\_\_\_\_

**Planned Procedure:** \_\_\_\_\_ ☐ RIGHT EYE ☐ LEFT EYE ☐ BILATERAL ☐ \_\_\_\_\_

**Pre-Operative Orders:**

☐ Proparacaine 0.5% 1 gtt on arrival to both eyes ☐ Acetaminophen 500mg PO

☐ \_\_\_\_\_

IV: Saline lock

- 1% or 2% lidocaine injection may be used as local anesthetic prior to IV placement.

- 0.9% sodium chloride flush may be used to verify IV placement.

☐ Check blood glucose level and report result to CRNA

**Post-Operative Orders:**

☐ erythromycin ophthalmic ointment to incision sites and operative eye(s)

☐ prednisolone acetate 1% 1 drop to operative eye

☐ bacitracin zinc 500unit/ gram 30gram tube to hairline incision site

☐ \_\_\_\_\_

**For Post-Op Pain:**

For pain rated 3-5 on pain scale of 1-10 administer: Acetaminophen 500mg PO

For pain rated 6-10 on pain scale of 1-10: consult physician

For nausea/vomiting administer: If IV is present, administer 4mg Ondansetron IV and re-evaluate

If no IV is present, administer 4mg Ondansetron PO and re-evaluate

If nausea persists after administration, consult physician

**Diet:** remain NPO in postop, then advance as tolerated upon discharge

**IV:** Discontinue IV when patient is ready for discharge

Review discharge instructions with patient

Verbal Order – Read Back –Verified: \_\_\_\_\_

\_\_\_\_\_  
RN/LPN signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Time

\_\_\_\_\_  
MD signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Time

**OPHTHALMIC HISTORY AND PHYSICAL UPDATE**

I attest there are no changes to the patient's history or exam as included in the surgical chart and electronic medical record.

\_\_\_\_\_, MD Date: \_\_\_\_\_ Time: \_\_\_\_\_

Thomas Copperman, MD

**POSTOPERATIVE NOTE**

**Complications:** ☐ none ☐ to PACU ☐ condition stable ☐ other: \_\_\_\_\_

**Postoperative orders:** ☐ Patient may be discharged when stable and PADSS score 9 or higher

\_\_\_\_\_, MD Date: \_\_\_\_\_ Time: \_\_\_\_\_

Thomas Copperman, MD

Patient Sticker